

Supplementary Material 2.

2023/10/13 23:52

RQS - Radiomics.world

Image protocol quality - well-documented image protocols (for example, contrast, slice thickness, energy, etc.) and/or usage of public image protocols allow reproducibility/replicability ☒ protocols well documented ☒ public protocol used ☐ none
Multiple segmentations - possible actions are: segmentation by different physicians/algorithms/software, perturbing segmentations by (random) noise, segmentation at different breathing cycles. Analyse feature robustness to segmentation variabilities ☐ yes ☒ no
Phantom study on all scanners - detect inter-scanner differences and vendor-dependent features. Analyse feature robustness to these sources of variability ☐ yes ☒ no
Imaging at multiple time points - collect images of individuals at additional time points. Analyse feature robustness to temporal variabilities (for example, organ movement, organ expansion/shrinkage) ☐ yes ☒ no
Feature reduction or adjustment for multiple testing - decreases the risk of overfitting. Overfitting is inevitable if the number of features exceeds the number of samples. Consider feature robustness when selecting features ☒ Either measure is implemented ☐ Neither measure is implemented
Multivariable analysis with non radiomics features (for example, EGFR mutation) - is expected to provide a more holistic model. Permits correlating/inferencing between radiomics and non radiomics features ☐ yes ☒ no
Detect and discuss biological correlates - demonstration of phenotypic differences (possibly associated with underlying gene-protein expression patterns) deepens understanding of radiomics and biology ☐ yes ☒ no
Cut-off analyses - determine risk groups by either the median, a previously published cut-off or report a continuous risk variable. Reduces the risk of reporting overly optimistic results ☐ yes ☒ no

<https://www.radiomics.world/rqs>

1/3

Supplementary Material 2.

2023/10/13 23:52

RQS - Radiomics.world

Discrimination statistics - report discrimination statistics (for example, C-statistic, ROC curve, AUC) and their statistical significance (for example, p-values, confidence intervals). One can also apply resampling method (for example, bootstrapping, cross-validation) ☐ a discrimination statistic and its statistical significance are reported ☒ a resampling method technique is also applied ☐ none
Calibration statistics - report calibration statistics (for example, Calibration-in-the-large/slope, calibration plots) and their statistical significance (for example, P-values, confidence intervals). One can also apply resampling method (for example, bootstrapping, cross-validation) ☐ a calibration statistic and its statistical significance are reported ☒ a resampling method technique is applied ☐ none
Prospective study registered in a trial database - provides the highest level of evidence supporting the clinical validity and usefulness of the radiomics biomarker ☐ yes ☒ no
Validation - the validation is performed without retraining and without adaptation of the cut-off value, provides crucial information with regard to credible clinical performance ☐ No validation ☒ validation is based on a dataset from the same institute ☐ validation is based on a dataset from another institute ☐ validation is based on two datasets from two distinct institutes ☐ the study validates a previously published signature ☐ validation is based on three or more datasets from distinct institutes
Comparison to 'gold standard' - assess the extent to which the model agrees with/is superior to the current 'gold standard' method (for example, TNM-staging for survival prediction). This comparison shows the added value of radiomics ☐ yes ☒ no
Potential clinical utility - report on the current and potential application of the model in a clinical setting (for example, decision curve analysis). ☐ yes ☒ no
Cost-effectiveness analysis - report on the cost-effectiveness of the clinical application (for example, QALYs generated) ☐ yes ☒ no

<https://www.radiomics.world/rqs>

2/3

Supplementary Material 2.

2023/10/13 23:52

RQS - Radiomics.world

Open science and data - make code and data publicly available. Open science facilitates knowledge transfer and reproducibility of the study

- ☐ scans are open source
- ☒ region of interest segmentations are open source
- ☐ the code is open sourced
- ☐ radiomics features are calculated on a set of representative ROIs and the calculated features and representative ROIs are open source

Total score **10** (27.78%)